



Material Safety Data Sheet

Resorcinol

Section 1 - Chemical Product and Company Identification

MSDS Name: Resorcinol
Catalog Numbers: 13229-0000, 13229-0500, 13229-2500
Synonyms: 1,3-Dihydroxybenzene; 1,3-Benzenediol

Company Identification: Acros Organics BVBA
Janssen Pharmaceuticaaan 3a
2440 Geel, Belgium

Company Identification: (USA) Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

For information in the US, call: 800-ACROS-01
For information in Europe, call: +32 14 57 52 11
Emergency Number, Europe: +32 14 57 52 99
Emergency Number US: 201-796-7100
CHEMTREC Phone Number, US: 800-424-9300
CHEMTREC Phone Number, Europe: 703-527-3887

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name:	%	EINECS#
108-46-3	Resorcinol	98%	203-585-2

Hazard Symbols:

XN N



Risk Phrases:

22 36/38 50

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Harmful if swallowed. Irritating to eyes and skin. Very toxic to aquatic organisms.

Potential Health Effects

Eye: Causes severe eye irritation. Causes redness and pain.

Skin: Causes skin irritation. Causes redness and pain. If absorbed, causes symptoms similar to those of inhalation. Resorcinol has been known to cause hyperemia (an excess of blood in a part), itch, dermatitis, edema, and corrosion.

Ingestion: Harmful if swallowed. May cause irritation of the digestive tract. May cause effects similar to those for inhalation exposure. Methemoglobinemia is characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), rapid heart rate and chocolate-brown colored blood. Overexposure may cause methemoglobinemia. May cause central nervous system effects. May cause dizziness, nausea, sense of suffocation, increased respiratory rate, vomiting, pallor, muscle twitching, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), delirium, collapse.

Inhalation: May cause respiratory tract irritation. May cause methemoglobinemia, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), convulsions, tachycardia, dyspnea (labored breathing), and death. May cause irritation of the respiratory tract with burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema. May be harmful if inhaled. Inhalation may produce weakness, fatigue, dizziness, and vertigo.

May cause methemoglobinemia, which is characterized by chocolate-brown colored blood, headache,

weakness, dizziness, breath shortness, cyanosis (bluish skin due to deficient oxygenation of blood), rapid heart rate, unconsciousness and possible death. Chronic exposure may cause blood effects. Repeated or prolonged exposure may cause allergic reactions in sensitive individuals. Prolonged exposure may cause liver, kidney, and heart damage.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Get medical aid. Wash mouth out with water.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Dusts at sufficient concentrations can form explosive mixtures with air. Containers may explode in the heat of a fire.

Extinguishing Media: Use water spray to cool fire-exposed containers. Use water spray, dry chemical, carbon dioxide, or chemical foam.

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Do not let this chemical enter the environment.

Section 7 - Handling and Storage

Handling: Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Use only in a chemical fume hood.

Storage: Store in a cool, dry place. Do not store in direct sunlight. Store in a tightly closed container. Store under an inert atmosphere.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

CAS# 108-46-3:

United Kingdom, WEL - TWA: 10 ppm TWA; 46 mg/m³ TWA United Kingdom, WEL - STEL: 20 ppm STEL; 92 mg/m³ STEL

Belgium - TWA: 10 ppm VLE; 46 mg/m³ VLE Belgium - STEL: 20 ppm VLE; 91 mg/m³ VLE

France - VME: 10 ppm VME; 45 mg/m³ VME

Germany: 10 ppm TWA; 45 mg/m³ TWA

Malaysia: 10 ppm TWA; 45 mg/m³ TWA

Netherlands: 10 ppm MAC; 45 mg/m³ MAC

Spain: 10 ppm VLA-ED; 46 mg/m³ VLA-ED Spain: 20 ppm VLA-EC; 92 mg/m³ VLA-EC

Personal Protective Equipment

Eyes: Wear chemical splash goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a

Respirators: NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if

irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Flakes

Color: white - light beige

Odor: phenol-like

pH: 4.4 (55g/l aq.sol.)

Vapor Pressure: 1 mm Hg @ 21.1 deg C

Viscosity: Not available

Boiling Point: 281 deg C @760 mmHg (537.80°F)

Freezing/Melting Point: 109 - 111 deg C

Autoignition Temperature: 605 deg C (1,121.00 deg F)

Flash Point: 127 deg C (260.60 deg F)

Explosion Limits: Lower: 1.40 vol %

Explosion Limits: Upper: .00 vol %

Decomposition Temperature:

Solubility in water: 140g/100ml in water

Specific Gravity/Density:

Molecular Formula: C6H6O2

Molecular Weight: 110.11

Section 10 - Stability and Reactivity

Chemical Stability:	Air sensitive. Light sensitive. May discolor on exposure to air and light. Hygroscopic: absorbs moisture or water from the air.
Conditions to Avoid:	High temperatures, incompatible materials, light, dust generation, exposure to air, exposure to moist air or water, heat.
Incompatibilities with Other Materials	Strong oxidizing agents, bases, acid chlorides, iron, ferric salts, acid anhydrides, alkalies, albumin, iron salts, antipyrine, methanol, acetanilide, camphor, urethane, spirit nitrous ether.
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide.
Hazardous Polymerization	Will not occur.

Section 11 - Toxicological Information

RTECS#:	CAS# 108-46-3: VG9625000
	RTECS:
	CAS# 108-46-3: Draize test, rabbit, eye: 100 mg Severe;
	Draize test, rabbit, skin: 500 mg;
	Draize test, rabbit, skin: 20 mg/24H Moderate;
	Oral, mouse: LD50 = 200 mg/kg;
LD50/LC50:	Oral, rat: LD50 = 301 mg/kg;
	Oral, rat: LD50 = 301 mg/kg;
	Skin, rabbit: LD50 = 3360 mg/kg;
	Skin, rabbit: LD50 = 3360 mg/kg;
	.
	Other:
Carcinogenicity:	Resorcinol - IARC: Group 3 (not classifiable)
Other:	See actual entry in RTECS for complete information. Mutagenicity: Ames-test: negative.

Section 12 - Ecological Information

Ecotoxicity:	Not available
Other:	Biodegradable. Do not empty into drains. log POW = 0.8

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

	IATA	IMO	RID/ADR
Shipping Name:	RESORCINOL	RESORCINOL	RESORCINOL
Hazard Class:	6.1	6.1	6.1
UN Number:	2876	2876	2876
Packing Group:	III	III	III

USA RQ: CAS# 108-46-3: 5000 lb final RQ; 2270 kg final RQ

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XN N

Risk Phrases:

R 22 Harmful if swallowed.

R 36/38 Irritating to eyes and skin.

R 50 Very toxic to aquatic organisms.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

WGK (Water Danger/Protection)

CAS# 108-46-3: 1

Canada

CAS# 108-46-3 is listed on Canada's DSL List

US Federal

TSCA

CAS# 108-46-3 is listed on the TSCA Inventory.

Section 16 - Other Information

MSDS Creation Date: 7/16/1996

Revision #2 Date 9/18/2007

Revisions were made in Sections: 1, 2, 3, 5, 6, 7, 9, 10, 12, 1

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
